ANXA7 Antibody / Annexin A7 [clone 30A51] (FY12502)

Catalog No.	Formulation	Size
FY12502	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA	100 ul

Recombinant RABBIT MONOCLONAL

Bulk quote request

Availability	2-3 weeks
Species Reactivity	Human, Mouse, Rat
Format	Liquid
Clonality	Recombinant Rabbit Monoclonal
Isotype	Rabbit IgG
Clone Name	30A51
Purity	Affinity-chromatography
Buffer	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
UniProt	P20073
Applications	Western Blot : 1:500-1:2000 Immunohistochemistry : 1:50-1:200 Immunocytochemistry/Immunofluorescence : 1:50-1:200 Flow Cytometry : 1:50
Limitations	This ANXA7 antibody is available for research use only.



Western blot analysis of Annexin 7 expression in (1) human Jurkat cell lysate; (2) mouse Raw264.7 cell lysate using ANXA7 antibody. Predicted molecular weight: 50-53 kDa (two isoforms).

Description

ANXA7 antibody detects annexin A7, a calcium and phospholipid binding protein encoded by the ANXA7 gene. Annexin A7 belongs to the annexin family of proteins characterized by conserved annexin repeats that mediate calcium dependent

membrane interactions. ANXA7 functions in membrane fusion, exocytosis, and calcium signaling, making it an important regulator of vesicular transport and cellular communication.

ANXA7 antibody is widely applied in neuroscience, cardiovascular biology, and oncology. In neurons, annexin A7 regulates synaptic vesicle exocytosis and neurotransmitter release. In cardiac tissue, it contributes to calcium handling and contractility. Altered expression of ANXA7 has been observed in several cancers, where it influences tumor growth, invasion, and therapy resistance. By detecting annexin A7, researchers can study its diverse roles across tissues and disease contexts.

In western blot assays, ANXA7 antibody detects protein bands of expected molecular weight across tissue lysates. Immunohistochemistry highlights localization in brain, heart, and epithelial tissues. Immunofluorescence provides high resolution mapping of annexin A7 distribution at cellular membranes and vesicular compartments.

Annexin A7 participates in calcium dependent signaling cascades and contributes to regulation of phospholipase activity. It plays a role in membrane repair, cell proliferation, and apoptosis. Dysregulation of ANXA7 expression has been implicated in tumorigenesis, cardiovascular dysfunction, and neurological disease. By using ANXA7 antibody, scientists can explore how annexin mediated signaling influences both health and pathology.

ANXA7 antibody from NSJ Bioreagents provides dependable specificity for studying annexin biology, vesicle trafficking, and calcium signaling. Its proven performance across applications supports accurate detection of annexin A7 in both experimental and clinical research contexts.

Application Notes

Optimal dilution of the ANXA7 antibody should be determined by the researcher.

Immunogen

A synthesized peptide derived from human Annexin A7 was used as the immunogen for the ANXA7 antibody.

Storage

Store the ANXA7 antibody at -20oC.