


# **BOC Antibody (R36257)**

| Catalog No.  | Formulation   | Size   |
|--------------|---|--------|
| R36257-100UG | $0.5\ \text{mg/ml}$ in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide | 100 ug |

#### **Bulk quote request**

| Availability         | 1-3 business days                                      |
|----------------------|--|
| Species Reactivity   | Human  |
| Predicted Reactivity | Cow, Dog, Mouse  |
| Format               | Antigen affinity purified                              |
| Clonality            | Polyclonal (goat origin)                               |
| Isotype              | Goat Ig  |
| Purity               | Antigen affinity                                       |
| Gene ID              | 91653  |
| Applications         | Western Blot : 0.3-1ug/ml ELISA (peptide) LOD : 1:2000 |
| Limitations          | This BOC antibody is available for research use only.  |



## **Description**

Additional name(s) for this target protein: Brother of CDO

## **Application Notes**

Optimal dilution of the BOC antibody should be determined by the researcher.

#### **Immunogen**

Amino acids TQEVKTSGSSDRLR were used as the immunogen for this BOC antibody.

| Storage Aliquot and store the BOC antibody at -20oC. |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |