


Caspase-8 Antibody (small subunit) (R31744)

Catalog No.	Formulation	Size
R31744	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request

Availability	1-3 business days
Species Reactivity	Mouse
Format	Antigen affinity purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity
Buffer	Lyophilized from 1X PBS with 2.5% BSA and 0.025% sodium azide
Gene ID	12370
Applications	Western Blot : 0.5-1ug/ml
Limitations	This Caspase-8 antibody is available for research use only.



Western blot testing of Caspase-8 antibody and mouse samples: 1. Spleen, 2. Thymus, 3. Kidney, 4. Lung, 5. HEPA1-6 cell lysate. Predicted molecular weight: ~55 kDa (pro), ~40 kDa (large + small subunit), ~11 kDa (small subunit).

Description

Caspase-8 is also known as CASP8, CAP4, MACH or MCH5. This gene encodes a member of the cysteine-aspartic acid protease family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes composed of a prodomain, a large protease subunit, and a small protease subunit. Activation of caspases requires proteolytic processing at conserved internal aspartic residues to generate a heterodimeric enzyme consisting of the large and small subunits. This protein is involved in the programmed cell death induced by Fas and various apoptotic stimuli. The N-terminal FADD-like death effector domain of this protein suggests that it may interact with Fas-interacting protein FADD. This protein was detected in the insoluble fraction of the affected brain region from Huntington disease patients but not in those from normal controls, which implicated the role in neurodegenerative

diseases. Many alternatively spliced transcript variants encoding different isoforms have been described, although not all variants have had their full-length sequences determined.

Application Notes

The stated application concentrations are suggested starting points. Titration of the Caspase-8 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

Mouse partial recombinant protein (AA 388-480) was used as the immunogen for this Caspase-8 antibody. This sequence is from the small subunit.

Storage

After reconstitution, the Caspase-8 antibody can be stored for up to one month at 4°C. For long-term, aliquot and store at -20°C. Avoid repeated freezing and thawing.