


CCNB1 Antibody / Cyclin B1 [clone EOG-3] (RQ5432)


| Catalog No. | Formulation | Size |
|-------------|--|--------|
| RQ5432 | Antibody in PBS with 0.02% sodium azide, 50% glycerol and 0.4-0.5mg/ml BSA | 100 ul |

Bulk quote request

| Availability | 1-2 weeks |
|--------------------|---|
| Species Reactivity | Human |
| Format | Purified |
| Clonality | Rabbit Monoclonal |
| Isotype | Rabbit IgG |
| Clone Name | EOG-3 |
| Purity | Affinity purified |
| UniProt | P14635 |
| Localization | Cytoplasmic, nuclear |
| Applications | Western Blot : 1:500-1:2000 Immunohistochemistry (FFPE) : 1:50-1:200 |
| Limitations | This CCNB1 antibody is available for research use only. |



IHC staining of FFPE human colon cancer with CCNB1 antibody. HIER: boil tissue sections in pH6, 10mM citrate buffer, for 10-20 min and allow to cool before testing.



Western blot testing of human HeLa cell lysate with CCNB1 antibody. Predicted molecular weight: 48-60 kDa.

Description

The protein encoded by the CCNB1 gene is a regulatory protein involved in mitosis. The gene product complexes with p34(cdc2) to form the maturation-promoting factor (MPF). The encoded protein is necessary for proper control of the G2/M transition phase of the cell cycle. [RefSeq]

Application Notes

Optimal dilution of the CCNB1 antibody should be determined by the researcher.

Immunogen

A synthetic peptide specific to human Cyclin B1 / CCNB1 was used as the immunogen for the CCNB1 antibody.

Storage

Store the CCNB1 antibody at -20oC.