


CFL1 Antibody / Cofilin 1 (F54403)

| Catalog No. | Formulation | Size |
|---------------|--|---------|
| F54403-0.4ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.4 ml |
| F54403-0.08ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.08 ml |

Bulk quote request


| Availability | 1-3 business days |
|--------------------|--|
| Species Reactivity | Human, Mouse |
| Format | Purified |
| Clonality | Polyclonal (rabbit origin) |
| Isotype | Rabbit Ig |
| Purity | Antigen affinity purified |
| UniProt | P23528 |
| Applications | Flow Cytometry: 1:25 (1x10e6 cells) Western Blot: 1:500-1:2000 |
| Limitations | This CFL1 antibody is available for research use only. |




Flow cytometry testing of human HL60 cells with CFL1 antibody; Blue=isotype control, Green= CFL1 antibody.

| 72 - 55 - 36 - 28 - | weight ~19 kDa. |
|------------------------------|-----------------|
| 17 - • | |
| 10 - | |

| kDa 55 36 28 | Western blot testing of human HL60 cell lysate with CFL1 antibody. Predicted molecular weight ~19 kDa. |
|-----------------------|--|
| 17 * 11 | |





Description

Cofilin is a widely distributed intracellular actin-modulating protein that binds and depolymerizes filamentous F-actin and inhibits the polymerization of monomeric G-actin in a pH-dependent manner.

Application Notes

The stated application concentrations are suggested starting points. Titration of the CFL1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

A portion of amino acids 70-98 from the human protein was used as the immunogen for the CFL1 antibody.

Storage

Aliquot the CFL1 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.