


# Elafin Antibody [clone C7] (RQ4509)

Catalog No.	Formulation	Size
RQ4509	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

### **Bulk quote request**

Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Clonality	Monoclonal (mouse origin)
Isotype	Mouse IgG1
Clone Name	C7
Purity	Protein G affinity
Buffer	Lyophilized from 1X PBS with 2% Trehalose and 0.025% sodium azide
UniProt	P19957
Localization	Secreted
Applications	Immunohistochemistry (FFPE) : 1-2ug/ml Capture ELISA : 1-5ug/ml (human recombinant protein)
Limitations	This Elafin antibody is available for research use only.



IHC testing of FFPE human tonsil tissue with Elafin antibody at 2ug/ml. HIER: boil tissue sections in pH6, 10mM citrate buffer, for 10-20 min followed by cooling at RT for 20 min.

## **Description**

Elafin, also known as peptidase inhibitor 3 or skin-derived antileukoprotease (SKALP), is a protein that in humans is encoded by the PI3 gene. This gene encodes an elastase-specific inhibitor that functions as an antimicrobial peptide against Gram-positive and Gram-negative bacteria, and fungal pathogens. The protein contains a WAP-type four-disulfide core (WFDC) domain, and is thus a member of the WFDC domain family. Most WFDC gene members are localized to

chromosome 20q12-q13 in two clusters: centromeric and telomeric. And this gene belongs to the centromeric cluster. Expression of this gene is upgulated by bacterial lipopolysaccharides and cytokines.

#### **Application Notes**

Optimal dilution of the Elafin antibody should be determined by the researcher.

#### **Immunogen**

Human Elafin/Skalp recombinant protein (amino acids A61-Q117) was used as the immunogen for the Elafin antibody.

#### **Storage**

After reconstitution, the Elafin antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.