


## Ephb1 Antibody (F52951)

Catalog No.	Formulation	Size
F52951-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F52951-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human, Mouse, Rat
<b>Predicted Reactivity</b>	Chicken
<b>Format</b>	Antigen affinity purified
<b>Clonality</b>	Polyclonal (rabbit origin)
<b>Isotype</b>	Rabbit Ig
<b>Purity</b>	Antigen affinity
<b>UniProt</b>	Q8CBF3
<b>Applications</b>	Western Blot : 1:1000
<b>Limitations</b>	This Ephb1 antibody is available for research use only.



Western blot analysis of lysate from 1) human A431, 2) mouse NIH3T3 cell line, 3) mouse brain and 4) rat brain tissue lysate using Ephb1 antibody at 1:1000.

## Description

Receptor tyrosine kinase which binds promiscuously transmembrane ephrin-B family ligands residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring cells. The signaling pathway downstream of the receptor is referred to as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling. Cognate/functional ephrin ligands for this receptor include EFNB1, EFNB2 and EFNB3. During nervous system development, regulates retinal axon guidance redirecting ipsilaterally ventrotemporal retinal ganglion cells axons at the optic chiasm midline. This probably requires repulsive interaction with EFNB2. In the adult nervous system together with EFNB3, regulates chemotaxis, proliferation and polarity of the hippocampus neural progenitors. Beside its role in

axon guidance plays also an important redundant role with other ephrin-B receptors in development and maturation of dendritic spines and synapse formation. May also regulate angiogenesis. More generally, may play a role in targeted cell migration and adhesion. Upon activation by EFNB1 and probably other ephrin-B ligands activates the MAPK/ERK and the JNK signaling cascades to regulate cell migration and adhesion respectively.

## **Application Notes**

Titration of the Ephb1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

## **Immunogen**

A portion of amino acids 374-409 from the mouse protein were used as the immunogen for the Ephb1 antibody.

## **Storage**

Aliquot the Ephb1 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.