


# **GAPDH Antibody (R34148)**


| Catalog No.  | Formulation  | Size   |
|--------------|--|--------|
| R34148-100UG | 0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide $$ | 100 ug |

### **Bulk quote request**


| Availability         | 1-3 business days  |
|----------------------|--|
| Species Reactivity   | Human, Mouse, Rat  |
| Predicted Reactivity | Dog  |
| Format               | Antigen affinity purified  |
| Clonality            | Polyclonal (goat origin)   |
| Isotype              | Goat Ig  |
| Purity               | Antigen affinity   |
| Gene ID              | 2597   |
| Localization         | Cytoplasmic, nuclear   |
| Applications         | Western Blot : 0.1-0.3ug/ml Immunohistochemistry (FFPE) : 2-4ug/ml IF/ICC : 5ug/ml ELISA (peptide) LOD : 1:16000 |
| Limitations          | This GAPDH antibody is available for research use only.  |




Western blot testing of 1) human HeLa and 2) mouse NIH3T3 lysate with GAPDH antibody at 0.03ug/ml. Predicted molecular weight ~36 kDa.




Western blot testing of human 1) liver, 2) testis and 3) tonsil lysate with GAPDH antibody at 0.1/0.03/0.03 ug/ml, respectively. Predicted molecular weight ~36 kDa.



Western blot testing of 1) mouse liver and 2) rat heart lysate with GAPDH antibody at 0.1 and 0.03 ug/ml, respectively. Predicted molecular weight ~36 kDa.



IHC staining of FFPE human liver with GAPDH antibody at 2ug/ml. HIER: steamed with pH6 citrate buffer, HRP-staining.



IF/ICC testing of fixed and permeabilized human HeLa cells with GAPDH antibody (green) at 5ug/ml and DAPI nuclear stain (blue).

### **Description**

Additional name(s) for this target protein: Glyceraldehyde-3-phosphate dehydrogenase

## **Application Notes**

Optimal dilution of the GAPDH antibody should be determined by the researcher.

#### **Immunogen**

Amino acids GVNHEKYDNSLK were used as the immunogen for this GAPDH antibody.

#### **Storage**

Aliquot and store the GAPDH antibody at -20oC.