


# HER2 Antibody (F50602)


Catalog No.	Formulation	Size
F50602-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F50602-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

# **Bulk quote request**


Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit Ig
Purity	Purified
UniProt	P04626
Applications	Western Blot : 1:1000 IHC (Paraffin) : 1:10-1:50 Flow Cytometry : 1:10-1:50 Immunofluorescence : 1:10-1:50
Limitations	This HER2 antibody is available for research use only.




Western blot analysis of HER2 antibody and 293 cell lysate (2 ug/lane) either nontransfected (Lane 1) or transiently transfected with the ErbB2 gene (2).



IHC analysis of FFPE human breast carcinoma tissue stained with HER2 antibody



Flow cytometric analysis of MCF-7 cells using HER2 antibody (bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary Ab was used for the analysis.



Confocal immunofluorescent analysis of ErbB2/ HER2 antibody with MCF-7 cells followed by Alexa Fluor 488-conjugated goat anti-rabbit lgG (green). DAPI was used as a nuclear counterstain (blue).

## **Description**

ErbB2, a member of the EGF receptor family, is an essential component of a neuregulin-receptor complex, although neuregulins do not interact with it alone. GP30 is a potential ligand for this receptor. This protein is not activated by EGF, TGF-alpha and amphiregulin. ErbB2 potentially forms a heterodimer with each of the other ERBB receptors. An interaction with PRKCABP has been suggested. Ligand-binding to this Type I membrane protein may increase phosphorylation on tyrosine residues.

### **Application Notes**

Titration of the HER2 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

#### **Immunogen**

This HER2 antibody was produced from rabbits immunized with human recombinant ErbB2 protein.

#### **Storage**

Aliquot the HER2 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.