



HIF-1 beta Antibody (R31550)

| Catalog No. | Formulation | Size |
|-------------|---|--------|
| R31550 | 0.5mg/ml if reconstituted with 0.2ml sterile DI water | 100 ug |

Bulk quote request

| Availability | 1-3 business days |
|--------------------|---|
| Species Reactivity | Human |
| Format | Antigen affinity purified |
| Clonality | Polyclonal (rabbit origin) |
| Isotype | Rabbit IgG |
| Purity | Antigen affinity |
| Buffer | Lyophilized from 1X PBS with 2.5% BSA and 0.025% sodium azide |
| Gene ID | 405 |
| Applications | Western Blot : 0.5-1ug/ml |
| Limitations | This HIF-1 beta antibody is available for research use only. |





HIF-1 beta is also known as ARNT or HIF1B. This gene encodes a protein containing a basic helix-loop-helix domain and two characteristic PAS domains along with a PAC domain. It is mapped to 1q21.3. The protein binds to ligand-bound aryl hydrocarbon receptor and aids in the movement of this complex to the nucleus, where it promotes the expression of genes involved in xenobiotic metabolism. HIF-1 beta is also a co-factor for transcriptional regulation by hypoxia-inducible factor 1. It is a structural component of the XRE-binding form of the Ah receptor. It also functions in concert with RelB in a CD30-induced negative feedback mechanism.

Application Notes

The stated application concentrations are suggested starting amounts. Titration of the HIF-1 beta antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

Human partial recombinant protein (AA 416-789) was used as the immunogen for this HIF-1 beta antibody.

Storage

After reconstitution, the HIF-1 beta antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.