


# Integrin alpha 7 Antibody (F53359)

Catalog No.	Formulation	Size
F53359-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F53359-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

#### **Bulk quote request**

Availability	1-3 business days
Species Reactivity	Human
Format	Antigen affinity purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit Ig
Purity	Antigen affinity
UniProt	Q13683
Applications	Western Blot : 1:2000-8000
Limitations	This Integrin alpha 7 antibody is available for research use only.



Western blot testing of Integrin alpha 7 antibody at 1:2000 dilution. Lane 1: HeLa lysate; 2: Jurkat lysate; 3: Raji lysate

# **Description**

Integrin alpha-7/beta-1 is the primary laminin receptor on skeletal myoblasts and adult myofibers. During myogenic differentiation, it may induce changes in the shape and mobility of myoblasts, and facilitate their localization at laminin-rich sites of secondary fiber formation. It is involved in the maintenance of the myofibers cytoarchitecture as well as for their anchorage, viability and functional integrity. Isoform Alpha-7X2B and isoform Alpha-7X1B promote myoblast migration on laminin 1 and laminin 2/4, but isoform Alpha-7X1B is less active on laminin 1 (In vitro). Acts as Schwann cell receptor for laminin-2. Acts as a receptor of COMP and mediates its effect on vascular smooth muscle cells (VSMCs) maturation (By similarity). Required to promote contractile phenotype acquisition in differentiated airway smooth muscle (ASM) cells.

## **Application Notes**

Titration of the Integrin alpha 7 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

### **Immunogen**

This Integrin alpha 7 antibody was produced from a rabbit immunized with a KLH conjugated synthetic peptide between 1149-1181 amino acids from the C-terminal region of human ITGA7.

### **Storage**

Aliquot the Integrin alpha 7 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.