


# MEK2 Antibody / MAP2K2 (F54450)


Catalog No.	Formulation	Size
F54450-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F54450-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml


# **Bulk quote request**

Availability	1-3 business days
Species Reactivity	Human, Mouse
Format	Purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit Ig
Purity	Antigen affinity purified
UniProt	P36507
Localization	Cytoplasmic
Applications	Immunofluorescence : 1:25 Western Blot : 1:500-1:2000 Immunohistochemistry (FFPE) : 1:25
Limitations	This MEK2 antibody is available for research use only.




kDa 150 100 75 50◀ 37	Western blot testing of mouse liver lysate with MEK2 antibody. Expected molecular weight: 45-50 kDa.
25 20 15 10	





Immunofluorescent staining of fixed and permeabilized human U-251 cells with MEK2 antibody (green) and anti-Actin (red).



IHC testing of FFPE human cancer tissue with MEK2 antibody. HIER: steam section in pH6 citrate buffer for 20 min and allow to cool prior to staining.

## **Description**

MAP2K2 is a dual specificity protein kinase that belongs to the MAP kinase kinase family. This kinase is known to play a critical role in mitogen growth factor signal transduction. It phosphorylates and thus activates MAPK1/ERK2 and MAPK2/ERK3. The activation of this kinase itself is dependent on the Ser/Thr phosphorylation by MAP kinase kinase kinases. The inhibition or degradation of this kinase is found to be involved in the pathogenesis of Yersinia and anthrax.

### **Application Notes**

The stated application concentrations are suggested starting points. Titration of the MEK2 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

#### **Immunogen**

A portion of amino acids 262-292 from the human protein was used as the immunogen for the MEK2 antibody.

#### **Storage**

Aliquot the MEK2 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.