


# PIAS1 Antibody (R31376)


Catalog No.	Formulation	Size
R31376	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

## **Bulk quote request**


Availability	1-3 business days
Species Reactivity	Human, Mouse, Rat
Format	Antigen affinity purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity
Buffer	Lyophilized from 1X PBS with 2.5% BSA and 0.025% sodium azide/thimerosal
UniProt	O75925
Applications	Western Blot : 0.5-1ug/ml IHC (FFPE) : 0.5-1ug/ml Immunocytochemistry : 0.5-1ug/ml
Limitations	This PIAS1 antibody is available for research use only.




Western blot testing of PIAS1 antibody and Lane 1: rat testis; 2: mouse testis; 3: human HeLa; 4: (h) Jurkat; 5: (h) MCF-7; 6: (h) SKOV lysate; Expected size: 72~100KD




IHC-P: PIAS1 antibody testing of human placenta tissue




ICC testing of PIAS1 antibody and A549 cells



IHC-P: PIAS1 antibody testing of rat testis tissue



IHC-P: PIAS1 antibody testing of rat brain tissue



### **Description**

E3 SUMO-protein ligase PIAS1 is an enzyme that in humans is encoded by the PIAS1 gene. This gene encodes a member of the mammalian PIAS [protein inhibitor of activated STAT-1(signal transducer and activator of transcription-1)] family. It contains a putative zinc-binding motif and a highly acidic region. PIAS1 inhibited STAT1-mediated gene activation in response to interferon when expressed in mammalian cells. It functions in testis as a nuclear receptor transcriptional coregulator and may have a role in AR initiation and maintenance of spermatogenesis. PIAS1 can also function as a SUMO ligase, or possibly as a tightly bound regulator of it, toward p53.

## **Application Notes**

The stated application concentrations are suggested starting amounts. Titration of the PIAS1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

#### **Immunogen**

Amino acids 636-651 (DTASIFGIIPDIISLD-human) were used as the immunogen for this PIAS1 antibody (100% homologous in human, mouse and rat).

#### **Storage**

After reconstitution, the PIAS1 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.			