


PKN1 Antibody (F53997)

| Catalog No. | Formulation | Size |
|---------------|--------------------------------------------|---------|
| F53997-0.2ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.2 ml |
| F53997-0.05ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.05 ml |

Bulk quote request

| Availability | 1-3 business days |
|----------------------|--------------------------------------------------------|
| Species Reactivity | Human |
| Predicted Reactivity | Bovine |
| Format | Antigen affinity purified |
| Clonality | Polyclonal (rabbit origin) |
| Isotype | Rabbit Ig |
| Purity | Antigen affinity |
| UniProt | Q16512 |
| Applications | Western Blot : 1:2000 |
| Limitations | This PKN1 antibody is available for research use only. |



Description

PKC-related serine/threonine-protein kinase involved in various processes such as regulation of the intermediate filaments of the actin cytoskeleton, cell migration, tumor cell invasion and transcription regulation. Regulates the cytoskeletal network by phosphorylating proteins such as VIM and neurofilament proteins NEFH, NEFL and NEFM, leading to inhibit their polymerization. Phosphorylates 'Ser-575', 'Ser-637' and 'Ser-669' of MAPT/Tau, lowering its ability to bind to microtubules, resulting in disruption of tubulin assembly. Acts as a key coactivator of androgen receptor (ANDR)-dependent transcription, by being recruited to ANDR target genes and specifically mediating phosphorylation of 'Thr-11' of histone H3 (H3T11ph), a specific tag for epigenetic transcriptional activation that promotes demethylation of

histone H3 'Lys-9' (H3K9me) by KDM4C/JMJD2C. Phosphorylates HDAC5, HDAC7 and HDAC9, leading to impair their import in the nucleus. Phosphorylates 'Thr-38' of PPP1R14A, 'Ser- 159', 'Ser-163' and 'Ser-170' of MARCKS, and GFAP. Able to phosphorylate RPS6 in vitro.

Application Notes

The stated application concentrations are suggested starting points. Titration of the PKN1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

Amino acids 836-870 from the human protein were used as the immunogen for this PKN1 antibody.

Storage

Aliquot the PKN1 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.