


# POMC Antibody (R34762)

Catalog No.	Formulation	Size
R34762-100UG	0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide $$	100 ug

# **Bulk quote request**

Availability	1-3 business days
Species Reactivity	Human, Mouse
Predicted Reactivity	Rat
Format	Antigen affinity purified
Clonality	Polyclonal (goat origin)
Isotype	Goat Ig
Purity	Antigen affinity
Gene ID	5443
Applications	Western Blot : 0.1-0.3ug/ml Immunohistochemistry (FFPE) : 4-6ug/ml ELISA (peptide) LOD : 1:128000
Limitations	This POMC antibody is available for research use only.

kDa 200	Western blot testing of NIH3T3 lysate with POMC antibody at 0.1ug/ml. Predicted	
116 - 97 -	molecular weight ~29kDa.	
66		
44		
31		
22 –		
14		
6		



IHC staining of FFPE human pituitary gland with POMC antibody at 2ug/ml. HIER: steamed with pH9 Tris/EDTA buffer, HRP-staining.

# **Description**

Additional name(s) for this target protein: Proopiomelanocortin, ACTH, CLIP

# **Application Notes**

Optimal dilution of the POMC antibody should be determined by the researcher.

1. In Western blot, the POMC antibody detects the full length precursor protein only.

### **Immunogen**

Amino acids NAIIKNAYKKGE were used as the immunogen for this POMC antibody.

### **Storage**

Aliquot and store the POMC antibody at -20oC.