


Recombinant CD11b Antibody / MAC-1 / ITGAM / C-Terminal [clone RM290] (R20316)

| Catalog No. | Formulation | Size |
|--------------|--|--------|
| R20316-0.1ML | Antibody in PBS with 50% glycerol, 1% BSA and 0.09% sodium azide | 100 ul |


Recombinant RABBIT MONOCLONAL

Bulk quote request

| Availability | 1-3 business days |
|--------------------|---|
| Species Reactivity | Human |
| Format | Purified |
| Clonality | Recombinant Rabbit Monoclonal |
| Isotype | Rabbit IgG |
| Clone Name | RM290 |
| Purity | Protein A purified from animal origin-free supernatant |
| UniProt | P11215 |
| Localization | Cell membrane, cytoplasm |
| Applications | Immunohistochemistry (FFPE): 1:100-1:200 Western Blot: 1:200-1:500 |
| Limitations | This recombinant CD11b antibody is available for research use only. |



Western blot testing of lysate from human HL60 cells, nontreated (-) or treated (+) with DMSO, with recombinant CD11b antibody at 1:400 dilution. Expected molecular weight: 127~170 kDa depending on glycosylation level.



IHC testing of formalin fixed and paraffin embedded human tonsil tissue with recombinant CD11b antibody at 1:200 dilution. HIER: steam section in pH6 citrate buffer for 20 min and allow to cool prior to staining.

Description

This antibody reacts to human CD11b (MAC-1, Integrin alpha-M, ITGAM).

Application Notes

The stated application concentrations are suggested starting points. Titration of the recombinant CD11b antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

A peptide corresponding to the C-terminus of human CD11b (Integrin alpha-M) was used as the immunogen for the recombinant CD11b antibody.

Storage

Store the recombinant CD11b antibody at -20oC.