


Recombinant MIG9 Antibody / Migration inducing gene 9 / S100P [clone S100P/9135R] (V5524)

Catalog No.	Formulation	Size
V5524-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 ug
V5524-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V5524SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug


Recombinant RABBIT MONOCLONAL

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Clonality	Recombinant Rabbit Monoclonal
Isotype	Rabbit IgG, kappa
Clone Name	S100P/9135R
Purity	Protein A/G affinity
UniProt	P25815
Localization	Nucleus, Cytoplasm
Applications	Immunohistochemistry (FFPE) : 1-2ug/ml
Limitations	This recombinant MIG9 antibody is available for research use only.



IHC staining of FFPE human placental tissue with recombinant MIG9 antibody (clone S100P/9135R). Inset: PBS used in place of primary Ab (secondary Ab negative control).



Description

S100P is a 95-amino-acid protein and a member of the S100 family. S100P has been shown to mediate tumor growth, metastasis and invasion through the binding of Ca2+ ions, receptor for advanced glycation end products, cytoskeletal protein ezrin, calcyclin-binding protein/Siah-1-interacting protein and cathepsin D.S100P highly expressed in human placenta, gastrointestinal tract, and esophageal mucosa, but always negative in pancreas and liver. Overexpression of S100P has been detected in several cancers such as breast, colon, prostate, pancreatic and lung carcinomas, and the protein has been functionally implicated in carcinogenic processes. S100P could potentially serve as diagnostic marker, prognostic/predictive indicator and therapy target for different carcinomas.

Application Notes

Optimal dilution of the recombinant MIG9 antibody should be determined by the researcher.

Immunogen

A recombinant fragment (within amino acids 1-95) of human MIG9 protein was used as the immunogen for the recombinant MIG9 antibody.

Storage

Aliquot the recombinant MIG9 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.