


# **SMAD2 Antibody (F52960)**

| Catalog No.   | Formulation                                | Size    |
|---------------|--|---------|
| F52960-0.4ML  | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.4 ml  |
| F52960-0.08ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.08 ml |

#### **Bulk quote request**

| Availability         | 1-3 business days                                       |
|----------------------|---|
| Species Reactivity   | Human, Mouse, Rat                                       |
| Predicted Reactivity | Bovine, Pig, Chicken                                    |
| Format               | Antigen affinity purified                               |
| Clonality            | Polyclonal (rabbit origin)                              |
| Isotype              | Rabbit Ig   |
| Purity               | Antigen affinity  |
| UniProt              | Q62432  |
| Applications         | Western Blot : 1:500-1:1000                             |
| Limitations          | This SMAD2 antibody is available for research use only. |



Western blot analysis of lysate from (1) HeLa, (2) mouse NIH3T3, (3) mouse C2C12, and (4) rat PC-12 cell line using SMAD2 antibody at 1:1000. Predicted molecular weight: 52~60 kDa.

# **Description**

SMAD2 is an intracellular signal transducer and transcriptional modulator activated by TGF-beta and activin type 1 receptor kinases. Binds the TRE element in the promoter region of many genes that are regulated by TGF-beta and, on formation of the SMAD2/SMAD4 complex, activates transcription. [UniProt]

## **Application Notes**

The stated application concentrations are suggested starting amounts. Titration of the SMAD2 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

#### **Immunogen**

This SMAD2 antibody was produced from a rabbit immunized with a KLH conjugated synthetic peptide between 198-232 amino acids of mouse Smad2.

### **Storage**

Store at 4oC for up to one month. For long term, aliquot the SMAD2 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.