


# Transducin-like enhancer protein 1 Antibody / TLE1 [clone TLE1/8007R] (V5294)

Catalog No.	Formulation	Size
V5294-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 ug
V5294-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V5294SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug


## Recombinant RABBIT MONOCLONAL

### **Bulk quote request**

Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Clonality	Recombinant Rabbit Monoclonal
Isotype	Rabbit IgG, kappa
Clone Name	TLE1/8007R
Purity	Protein A/G affinity
UniProt	Q04724
Localization	Nucleus
Applications	Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT
Limitations	This TLE1 antibody is available for research use only.



IHC staining of FFPE human prostate carcinoma tissue with Transducin-like enhancer protein 1 antibody (clone TLE1/8007R). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



IHC staining of FFPE human bladder tissue with Transducin-like enhancer protein 1 antibody (clone TLE1/8007R). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.

#### **Description**

Key players in the Notch pathway are the TLE genes, which are human homologs of the Drosophila groucho gene. Groucho is a transcriptional repressor that plays a key role in neurogenesis, segmentation and sex determination. Transducin-like enhancer protein1 (TLE1) is a protein that is encoded by the TLE1 gene and is involved in control of hematopoiesis, neuronal, and terminal epithelial differentiation. Positive immunohistochemical nuclear staining with anti-TLE-1 has been shown to be a useful addition to an IHC panel when differentiating synovial sarcoma from other soft tissue malignancies.

#### **Application Notes**

Optimal dilution of the Transducin-like enhancer protein 1 antibody should be determined by the researcher.

#### **Immunogen**

A recombinant human protein fragment (aa 175-338) was used as the immunogen for the Transducin-like enhancer protein 1 antibody.

#### **Storage**

Aliquot the Transducin-like enhancer protein 1 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.