


# **Txnip Antibody (F47779)**

| Catalog No.   | Formulation                                | Size    |
|---------------|--|---------|
| F47779-0.4ML  | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.4 ml  |
| F47779-0.08ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.08 ml |

### **Bulk quote request**

| Availability         | 1-3 business days                                       |
|----------------------|---|
| Species Reactivity   | Mouse   |
| Predicted Reactivity | Rat   |
| Format               | Antigen affinity purified                               |
| Clonality            | Polyclonal (rabbit origin)                              |
| Isotype              | Rabbit Ig   |
| Purity               | Antigen affinity  |
| UniProt              | Q8BG60  |
| Applications         | Western Blot : 1:1000                                   |
| Limitations          | This Txnip antibody is available for research use only. |



### **Description**

May act as an oxidative stress mediator by inhibiting thioredoxin activity or by limiting its bioavailability. Interacts with COPS5 and restores COPS5-induced suppression of CDKN1B stability, blocking the COPS5-mediated translocation of CDKN1B from the nucleus to the cytoplasm. Functions as a transcriptional repressor, possibly by acting as a bridge molecule between transcription factors and corepressor complexes, and over-expression will induce G0/G1 cell cycle arrest. Required for the maturation of natural killer cells. [UniProt]

# **Application Notes**

Titration of the Txnip antibody may be required due to differences in protocols and secondary/substrate sensitivity.

#### **Immunogen**

A portion of amino acids 116-145 from the mouse protein was used as the immunogen for this Txnip antibody.

## **Storage**

Aliquot the Txnip antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.