


Wee2 Antibody (F43870)

| Catalog No. | Formulation | Size |
|---------------|--|---------|
| F43870-0.4ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.4 ml |
| F43870-0.08ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.08 ml |

Bulk quote request

| Availability | 1-3 business days |
|--------------------|--|
| Species Reactivity | Human, Mouse |
| Format | Antigen affinity purified |
| Clonality | Polyclonal (rabbit origin) |
| Isotype | Rabbit Ig |
| Purity | Antigen affinity |
| UniProt | Q66JT0 |
| Applications | Western Blot: 1:1000 IHC (Paraffin): 1:10-1:50 |
| Limitations | This Wee2 antibody is available for research use only. |

| 95 72 55 - | Wee2 antibody western blot analysis in HepG2 lysate. |
|-------------------------|--|
| 36 | |
| 28 | |
| | |



Wee2 antibody immunohistochemistry analysis in formalin fixed and paraffin embedded mouse ovarian tissue.

Description

Phosphorylates and inhibits CDK1. May act as a negative regulator of entry into mitosis (G2 to M transition).

Application Notes

Titration of the Wee2 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

A portion of amino acids 364-393 from the mouse protein was used as the immunogen for this Wee2 antibody.

Storage

Aliquot the Wee2 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.