


ZO-1 Antibody (F48868)

| Catalog No. | Formulation | Size |
|---------------|--|---------|
| F48868-0.4ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.4 ml |
| F48868-0.08ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.08 ml |


Bulk quote request

| Availability | 1-3 business days |
|--------------------|--|
| Species Reactivity | Human |
| Format | Purified |
| Clonality | Polyclonal (rabbit origin) |
| Isotype | Rabbit Ig |
| Purity | Purified |
| UniProt | Q07157 |
| Applications | Western Blot : 1:1000 IHC (Paraffin) : 1:50-1:100 Flow Cytometry : 1:10-1:50 |
| Limitations | This ZO-1 antibody is available for research use only. |

| 250 | Western blot analysis of ZO-1 antibody and K562 lysate |
|---------|--|
| 130 • ◀ | |
| 95● | |
| 72 | |
| • | |



ZO-1 antibody IHC analysis in formalin fixed and paraffin embedded human lung carcinoma.



ZO-1 antibody flow cytometric analysis of K562 cells (bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary Ab was used for the analysis.

Description

ZO-1/TJP1 encodes a protein located on a cytoplasmic membrane surface of intercellular tight junctions. The encoded protein may be involved in signal transduction at cell-cell junctions. [Wiki]

Application Notes

Titration of the ZO-1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

A portion of amino acids 1570-1600 from the human protein was used as the immunogen for this ZO-1 antibody.

Storage

Aliquot the ZO-1 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.